

Entra ID Frühjahrsputz – Altlasten erkennen, Risiken beseitigen



Klaus Bierschenk

Director Consulting Expert @ CGI Germany

Based in Murnau am Staffelsee, Bavaria

Living with my family, two snakes, two cats – and lots of other animals my cats bring home from time to time



@klabier.bsky.social



<http://www.linkedin.com/in/klabier>



Klaus@NothingButCloud.net



<https://nothingbutcloud.net/>



“More than 99% of identity attacks can be prevented with basic security hygiene.”

— Microsoft, Digital Defense Report 2025

<https://www.microsoft.com/en-us/security/security-insider/threat-landscape/microsoft-digital-defense-report-2025>

So why do we still have stale users, orphaned apps and unused admin roles?

Wenn du deinen Tenant nicht aufräumst, macht es vielleicht jemand anders




- ❖ Die Ursachen
Wo und durch was entsteht Tenant Müll?
- ❖ Werkzeuge für Housekeeping
Wie erkenne ich was alt ist?
- ❖ Wo hilft uns KI?

[Blog Artikel](#)



Die Ursachen – Wie und wo entsteht Tenant-Müll??



Security Copilot im Housekeeping?

- Embedded Experience -> eingebettet in EAC
- Standalone Edition -> securitycopilot.microsoft.com
- Agenten: Conditional Access Optimization Agent ([Blog Artikel](#))
- Abrechnung über Security Compute Units (SCUs)
Computing Units - technische Verbrauchseinheit 4\$ pro Stunde
- Erstelle / entferne SCU temporär per Script ([Blog Artikel](#))



- Home
- Agents
- Promptbooks
- Build Preview
- History ^
All history
- Owner ^
Owner settings
Plugin settings
Role assignment
Manage workspaces
Usage monitoring
- Security Store



Analyze the Conditional Access policies in our tenant and point out any that appear redundant, overly broad, or not applied to any users or applications.

> 11 steps completed 33 seconds Private preview

Feb 14, 11:52 AM
Here's an analysis of your Conditional Access policies that are redundant, overly broad, not applied, or may clutter your policy list:

AI-generated content may be incorrect. Check it for accuracy. Export to Excel Share

Policy Name	Issue Type	Enabled
CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA	Overly Broad	Yes
CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA	Redundant/Disabled	No
COPP		
CA132-Mulder-ProtectedAction-DeletedItems	Redundant	Yes
CA132-Mulder-ProtectedAction-DeletedItemsImported COPY	Redundant	Yes

*For CA999, check if the assigned group contains any members; if not, the policy is not applied.
This table highlights 15 policies with issues, including redundancy, excessive scope, lack of application, or disabled status, based on the current configuration.

References
[Verify on Entra Admin Center](#)

How's this response? AI-generated content may be incorrect. Check it for accuracy. Down Arrow Copy

How can Security Copilot help? Grid Share Send

	A	B	C	D	E
1	Policy Name	Issue Type	Enabled	Target Users/Groups/Apps	Details
2	CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA	Overly Broad	Yes	All users (except 2), all apps (except 1 group)	Applies MFA to nearly all users and apps; may be too broad if more specific policies exist.
3	CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA COPP	Redundant/Disabled	No	All users (except 3), all apps (except 1 group)	Disabled duplicate/variant of above; may clutter policy list.
4	CA132-Mulder-ProtectedAction-DeletedItems	Redundant	Yes	2 specific users, authentication context c1	Nearly identical to "CA132-Mulder-ProtectedAction-DeletedItemsImported COPY"; both target same users/apps.
5	CA132-Mulder-ProtectedAction-DeletedItemsImported COPY	Redundant	Yes	2 specific users, authentication context c1	Duplicate of above; both enabled, same users/apps, same controls.
6	CA950 - Do Nothing	Not Applied	Yes	1 group, no apps	Targets a group but no applications; policy has no effect.
7	CA999-SalesForce Phishing Resistant MFA	Not Applied*	Yes	1 group, Salesforce app	If group is empty, policy is ineffective.
8	CA008-Global-IdentityProtection-UserRiskHigh-ChangePW	Overly Broad	Yes	All users (except 2), all apps (except 1 group), user risk "low"	Triggers on "low" user risk for all users/apps; typically set for "high" risk only.
9	CA004-Global-EntraTerms-AllApps-AnyPlatform-ToU xxx	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
10	CA116-Admins-ProtectedAction-DeleteCAPolicies-Grant-OnlyGA	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
11	CA101-Klaus-BaseProtection-AllApps-AnyPlatform-SignInFreqNonPersistent	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
12	CA002-Global-BaseProtection-AllApps-AnyPlatform-SessionLifetime12hrs	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
13	CA888 - Block Langley from Admin Portals	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
14	CA132-Mulder-ProtectedAction-DeletedItemsImported COPY (disabled)	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
15	CA116-Admins-ProtectedAction-DeleteCAPolicies-Grant-OnlyGA COPY	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
16	CA001-Global-BaseProtection-AllApps-AnyPlatform-BlockNonPersonass	Disabled/Clutter	No	Not specified	Disabled, may clutter policy list.
17					
18					
19					
20					
21					

Security Copilot agents are here

Discover a whole new way to automate security with AI.
[Learn more about agents](#)

[Go to agents](#)

Main Identity LAB

Tenant ID f5c07476-f2f0-45bf-8745-34a90b6a2a1d

Primary domain kbcorp2021.onmicrosoft.com



64

[View users](#)



59

[View groups](#)



24

[View devices](#)



35

[View apps](#)



Klaus Bierschenk

Global Administrator

03117a6e-23cb-4b06-b91f-4ec05ea55994

[View user profile](#)

My role assignments



● High privileged role assignments

● Other role assignments

[Manage my roles](#)

Users at high risk

No detections found

Analyze the Conditional Access policies in our tenant and point out any that appear redundant, overly broad, or not applied to any users or applications.

Copilot AI-generated content may be incorrect. Check it for accuracy.

Here is an analysis of your Conditional Access (CA) policies for redundancy, overly broad scope, and lack of assignment to users or applications:

1. Redundant or Overlapping Policies

- There are several policies with very similar names and conditions, such as:
 - "CA132-Mulder-ProtectedAction-DeletedItems", "CA132-Mulder-ProtectedAction-DeletedItemsImported COPY", and "Merged CA132-Mulder-ProtectedAction-DeletedItems and CA132-Mulder-ProtectedAction-DeletedItemsImported COPY". These appear to target the same users and authentication context, with similar grant controls. Consider consolidating or removing duplicates to reduce complexity.
 - "CA116-Admins-ProtectedAction-DeleteCAPolicies-Grant-OnlyGA" and "CA116-Admins-ProtectedAction-DeleteCAPolicies-Grant-OnlyGA COPY" are both disabled and have nearly identical conditions. Keeping both is unnecessary.

2. Overly Broad Policies

- "CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA" and "CA002-Global-BaseProtection-AllApps-AnyPlatform-SessionLifetime12hrs" (disabled) both target all users and all applications, with only a few exclusions. While broad policies can be useful for baseline security, ensure that exclusions are intentional and that such policies do not conflict with more targeted controls.
- "CA008-Global-IdentityProtection-UserRiskHigh-ChangePW" targets all users and all applications for user risk level "low", which may be broader than intended for a high-risk scenario.

3. Policies Not Applied to Any Users or Applications

- "CA001-Global-BaseProtection-AllApps-AnyPlatform-BlockNonPersonas" is disabled and targets "None" for applications, meaning it is not currently applied to any app.
- "Block all high risk agents from accessing all resources" is set to "enabledForReportingButNotEnforced" and includes "None" for users, so it does not actively protect any users.
- "CA950 - Do Nothing" is enabled but targets "None" for applications, so it is not enforcing any controls.

Recommendations:

- Review and consolidate duplicate or overlapping policies to simplify management.
- Reassess broad policies to ensure they are not unintentionally impacting all users or applications, especially if more granular controls are needed.
- Remove or update policies that are not applied to any users or applications, as they do not provide any security benefit in their current state.

If you need a detailed breakdown of each policy's assignments or want to review specific policies, let me know!

Select 'open list' to see the full list with the data set. Ask any other questions by entering a prompt below.

Ask a question, search for info, or get help with a task in Security...

+



Security Copilot für M365 E5 Kunden

Berechtigte Microsoft 365 E5 Kunden erhalten

400 Security Compute Units (SCUs) pro Monat je 1.000 E5-Lizenzen

(max. 10.000 SCUs pro Monat)

Beispiel1:

Eine Organisation mit 400 Arbeitsplätzen erhält 160 SCUs/Monat

Beispiel2:

Eine Organisation mit 4.000 Arbeitsplätzen erhält 1.600 SCUs/Monat.

- <https://aka.ms/securitycopilotme5>
- <https://aka.ms/SCP-ignite25>

- Entra Connect
- Domain names
- Custom branding
- Mobility
- Monitoring & health**
- Sign-in logs
- Audit logs
- Provisioning logs
- Health
- Log Analytics
- Diagnostics settings
- Workbooks**
- Usage & insights
- Bulk operations
- ID Protection

Home Gallery

Microsoft Entra ID

+ New Refresh Feedback ? Help Community Git repo Browse across galleries Open recycle bin

- Sign-ins using Legacy Auth...
- Sign-ins
- Access Package Activity
- Application Role Assignm...
- App Consent Audit
- SSPR Reset Funnel
- Sign-In Analysis (Preview: ...)
- Authentication Prompts A...
Monitor authentication prompts to d...
- Tenant restriction insights
- Cross-tenant access activity
- Phishing-Resistant Passwo...

Conditional access (5)

- Conditional Access Insight...
Monitor the impact of your Condition...
- Continuous access evaluat...
- Sign-ins by Conditional Ac...
- Sign-ins by Grant Controls...
- Conditional Access Gap A...

ID Protection (2)

- ID Protection Risk Analysis
- Impact analysis of risk-bas...

Troubleshoot (4)

- Sensitive Operations Report
- Sign-ins Failure Analysis
- Provisioning Analysis
- Archived Log Date Range

Conditional Access Policies – CA Policy Usage *(Blog Artikel)*

The screenshot displays the Microsoft Azure portal interface. At the top, the navigation bar includes the Microsoft Azure logo, a search bar, Copilot, and user information for klaus@kbrun.de. The breadcrumb trail shows: Home > Log Analytics workspaces > LA-WS-AAD. The main content area is titled 'LA-WS-AAD | Workbooks | CA Policy Usage' and features a search bar and a toolbar with icons for Workbooks, Edit, Refresh, and Help. The 'CA-Policy Summary' section includes a 'Data coverage' box indicating 30 days of history available from 30.01.2026. A 'Column Legend' box defines the report's metrics: Success = granted, Failure = blocked, NotApplied = conditions not met, ReportOnly = simulation, and EnforcedCount = Success + Failure. Below this is a table with columns for PolicyName, PolicyId, Success, Failure, NotApplied, and ReportOnly. The table lists several policies, with CA003 and CA007 showing significant activity.

PolicyName	PolicyId	Success	Failure	NotApplied	ReportOnly
CA001-Global-BaseProtection-AllApps-AnyPlatform-Bloc...	cdc3ac53-e78f-45ff-840b-09059df290a6	0	0	0	
CA002-Global-BaseProtection-AllApps-AnyPlatform-Sessi...	acbe4875-9545-4d8c-9ea4-60e1c4d83d56	0	0	0	
CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA	049fab0d-a309-43b9-a3f9-e2f25aa9caf8	455	2	10	
CA003-Global-BaseProtection-AllApps-AnyPlatform-MFA...	c8cfb111-9041-49ed-a46f-c69e1b6c389c	0	0	0	
CA004-Global-EntraTerms-AllApps-AnyPlatform-ToU xxx	0d8db2f1-acb9-4f2f-9fd0-c25230404a8d	0	0	0	
CA007-Global-IdentityProtection-SignInRiskMediumHigh...	b6206cf6-2cc5-4ffe-a5b5-ed447d62682f	0	0	467	
CA008-Global-IdentityProtection-UserRiskHigh-ChangePW	320d5244-2109-4428-b3f6-7eb7e9f59d8d	0	0	467	
CA100-Admins-BaseProtection-AllApps-AnyPlatform-MF...	c4c15e2f-b6d4-48a3-acd6-33099b15c414	362	2	103	
CA101-Klaus-BaseProtection-AllApps-AnyPlatform-Signa...	22a1da9b-0402-450b-b82e-202456022e2e	0	0	0	

Demo ...

Main Identity LAB | Overview

Privileged Identity Management | Microsoft Entra roles

Quick start

Overview

Tasks

My roles

Pending requests

Approve requests

Review access

Manage

Roles

Assignments

Alerts

Access reviews


Discovery and insights (Preview)

Settings


Activity

Resource audit

Role activations in last 7 days



Role assignment distribution



PIM Activities in last 30 days


Title	Count
Members with new eligible assignments	2
Members assigned as active	3

Roles by assignment (descending)

Role	Eligible	Active
Global Administrator	1	5
Security Reader	2	0
Directory Readers	0	2

Privileged Access Hygiene

- PIM – Dashboards -> Overview
- PIM – Dashboards -> Alerts
- Access Reviews für Rollen
- Alles bezogen auf Rollen
(Alerts, Access Reviews usw.)
- PIM for Groups? -> Access Reviews (Gruppen)



Demo ...

Microsoft Entra admin center

Search resources, services, and docs (G+/)

Copilot

klaus@kbrun.de
MAIN IDENTITY LAB (KBCORP20...)

Home > Privileged Identity Management | Microsoft Entra roles > Main Identity LAB

Main Identity LAB | Alerts

Privileged Identity Management | Microsoft Entra roles

Scan | Setting | Got feedback?

Quick start

Overview

Tasks

- My roles
- Pending requests
- Approve requests
- Review access

Manage

- Roles
- Assignments
- Alerts**
- Access reviews
- Discovery and insights (Preview)
- Settings

Activity

- Resource audit

Alert	Count	Risk level
Roles don't require multi-factor authentication for activation	8	Medium
Eligible administrators aren't activating their privileged role	2	Low
Roles are being activated too frequently	4	Medium
There are too many global administrators	4	Low
Potential stale accounts in a privileged role	2	Medium

Privileged Identity Management -> Roles -> Alerts

Gibt es den Benutzer noch?



Merkmale / Risiken:

- Mal eben anlegen, vorbei an Standardprozessen
- Manager- oder andere Company-Attribute leer
- Keine MFA Methode
- Ist Owner? Manager?
- Ausnahmen in CA-Policies

Maßnahmen:

- ✓ Entra Admin Center
- ✓ lastSignInDateTime
- ✓ Registered Authentication Methods
- ✓ PowerShell / Graph
- ✓ Lifecycle Workflows
- ✗ Access Reviews (eher nicht)

Demo

- *Entra Admin Center
User Filter*
- *PowerShell is your friend*
- *Authentication Methods*



Users

Main Identity LAB

- + New user
- Edit
- Delete
- Download users (Preview)**
- Bulk operations
- Refresh
- ...

Azure Active Directory is now Microsoft Entra ID.

Search Add filter

63 users found

<input type="checkbox"/>	Display name ↑	User principal name ↕	Last interactive sign-in time	User type	On-premises sy...	Identities
<input type="checkbox"/>	Adele Vance (Helpdesk)	AdeleV@kbcorp2...	9. Mai 2025, 19:08	Member	No	kbcorp2021.onmicrosoft.com
<input type="checkbox"/>	Adele Zetta	EMP1941@kbcor...	19. Jan. 2025, 09:42	Member	No	kbcorp2021.onmicrosoft.com
<input type="checkbox"/>	Alex Wilber (Helpdesk)	AlexW@kbrun.de	23. Okt. 2025, 17:45	Member	No	kbcorp2021.onmicrosoft.com
<input type="checkbox"/>	Alvin Herrera	Alvin.Herrera@kb...		Member	Yes	kbcorp2021.onmicrosoft.com
<input type="checkbox"/>	Andreas	Andreas_kbcorp2...	28. Dez. 2025, 10:12	Member	No	ExternalAzureAD
<input type="checkbox"/>	Anna	Anna_kbcorp2022...		Member	No	ExternalAzureAD
<input type="checkbox"/>	Anthony Rodgers	Anthony.Rodgers...		Member	Yes	kbcorp2021.onmicrosoft.com

- Manage view > **Edit columns**
- Per-user MFA
- Copy link to view
- Got feedback?

Demo ...

EXPLORER

- POWERSHELL
 - .vscode
 - AAAD_Secret_Infos
 - AutomationRunbookLab
 - BackupCAs_Examples
 - Bulk_Operations_CSVs
 - CreateSecCopilotSCU
 - CSV2SCIM
 - Entra - Local Git with EntraExporter
 - EntraHouseKeeping
 - 01 User-Beispiele.ps1
 - 02 Groups-Example.ps1
 - 03 Devices-Beispiele.ps1
 - SCIMAPIDemo
 - CODE_OF_CONDUCT.md
 - LICENSE
 - README.md
 - UnusedObjects.xlsx

02 Groups-Example.ps1 | 03 Devices-Beispiele.ps1 | 01 User-Beispiele.ps1

```
EntraHouseKeeping > 01 User-Beispiele.ps1 > ...
27 # The good old SQL days... order by :-)
28 #Get-MgUser -ConsistencyLevel eventual -Count userCount -Filter "startsWith(DisplayName, 'A')" -OrderBy
29
30 # Bestimmte Eigenschaften einschließlich des Datums der letzten Anmeldung
31 #Get-MgUser -All -Property UserprincipalName, Displayname, CreatedDateTime, SignInActivity `
32 # | Select-Object DisplayName, UserPrincipalName, @{N="Last SignIn";E={$_.SignInActivity.LastSignInD
33
34 # Liste der Benutzer mit Anmeldung vor einem spezifischem Anmelde datum
35 #Get-MgUser -Filter "signInActivity/lastSignInDateTime le 2025-12-31T00:00:00Z"
36
37 # Liste aller Geräte die länger als 90 Tage nicht benutzt wurden
38 $date = (Get-Date (Get-Date).AddDays(-90) -Format u).Replace(' ', 'T')
39
40 # ... und das ganze selektiert vor einem Zeitpunkt
41 Get-MgUser -Filter "signInActivity/lastSignInDateTime le $date" `
42 -Property UserprincipalName, Displayname, CreatedDateTime, SignInActivity `
43 | Select-Object DisplayName,
44 | @{N="Last SignIn";E={$_.SignInActivity.LastSignInDateTime}}, `
45 UserPrincipalName,
46 CreatedDateTime `
47 | Export-Excel $xlsFile -WorksheetName "Internal User" -ClearSheet -AutoSize
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
Writing objects: 100% (10/10), 1.50 KiB | 765.00 KiB/s, done.
Total 10 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), completed with 4 local objects.
To https://github.com/KlaBier/Powershell.git
ba0474d..4e806c6 main -> main
PS C:\Users\klaus\OneDrive\GitContent\Powershell> |
```

Klaus Bierschenk (now) Ln 8, Col 47 Spaces: 2 UTF-8 CRLF

Demo ...

<https://github.com/KlaBier/Powershell/tree/main/EntraHouseKeeping>

Authentication methods

Main Identity LAB - Microsoft Entra ID Security

Search

Download Refresh Columns Got feedback?

Manage

Policies

Password protection

Registration campaign

Authentication strengths

Settings

Monitoring

Activity

User registration details

Registration and reset events

Bulk operation results

Bulk operation results (Preview)

Name or UPN starts with

Add filter

Multifactor authentication capable: All Passwordless capable: All SSPR capable: All Methods registered: All User preferred method: All

Reset filters

Name	Multifactor authen...	Passwordless Ca...	Default multifactor aut...	Methods Registered	Last Updated Time
Hans Muster	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
Lynch, Joshua	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
Johanna Lorenz	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
klabier	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
Klaus NothingbutCloud	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
Klaus Admin	Capable	Capable	Microsoft Authenticator app	Paskey (Synced),Passkey (other	27.02.26, 02:29:49 UTC
Klaus Bierschenk	Capable	Capable	Microsoft Authenticator app	Security question,Passkey (Micr	27.02.26, 02:29:49 UTC
Langley external	Not Capable	Not Capable			27.02.26, 02:29:49 UTC
Richard Langley (Investi...	Capable	Capable	Microsoft Authenticator app	Security question,Passkey (Sync	27.02.26, 02:29:49 UTC
Larry Fontain	Not Capable	Not Capable			27.02.26, 02:29:49 UTC


Demo ...



WILLIAM H. HOUGHTON FLAGG

I WANT YOU

To take care of your
Guest Accounts



Wird das Gastkonto noch benötigt?



Merkmale / Risiken:

- Einladung ist vielfältig möglich
- Ohne Lifecycle Prozess unsterblich
- Source of truth (Management) in fremden Tenant
- Admin Rollen vorhanden
- CA-Policies auf Guests angewendet?
- Sponsor Attribut

Maßnahmen:

- ✓ Check Guest (Tenant) Settings
- ✓ Wer darf einladen?
- ✓ Governance – View Inactive Guests
- ✓ Lifecycle Workflows
- ✓ Access Reviews!

Demo

→ *Umgang mit Gast Konten*



Home > Main Identity LAB

Insights and reporting | Inactive guest accounts

Microsoft - Entra ID


Last updated: 20. Februar 2026 um 02:11 MEZ

Monitor the inactive guest accounts in your organization. Customize the inactivity threshold depending on your organization's needs, narrow down the scope of guests you want to monitor and identify the guest accounts that may be inactive.


Inactivity threshold

90 days without sign in


Guest account overview



Guests inactivity distribution



Guest inactivity overview



Demo ...

- Domain names
- Custom branding
- Mobility
- Monitoring & health
- ID Protection
- ID Governance**
- Dashboard
- Entitlement management
- Access reviews
- Privileged Identity Management
- Lifecycle workflows
- Verified ID
- Global Secure Access
- What's new
- Billing

Home > Main Identity LAB > Insights and reporting | Inactive guest accounts > Main Identity LAB

Insights and reporting | Inactive guest accounts

Microsoft - Entra ID

Guest accounts summary

Review the details for guest accounts and identify the ones that are inactive.

Activity state: All Inactive days: All Last sign-in: All Reset filters

Download all data

Name	Domain	Email	Inactive days	Activity state	Last
klabier	me.com	klabier@me.com	2	Active	Nev
testuser	klabier.de	mail@klabier.de	19	Active	Nev
Disabled Guest			19	Active	Nev
Klaus NothingbutCloud	nothingbutcloud.net	klaus@nothingbutcloud.net	39	Active	Nev
Bert	kbcorp2022t.onmicrosoft.com	Bert@kbcorp2022t.onmicrosoft.com	84	Active	Nev
Birgit	kbcorp2022t.onmicrosoft.com	Birgit@kbcorp2022t.onmicrosoft.com	55	Active	28.1
Synch Testuser1	kbcorp2022t.onmicrosoft.com	SyncUsr1@kbcorp2022t.onmicrosoft.com	93	Inactive	Nev
woody	kbcorp2022t.onmicrosoft.com	woody@kbcorp2022t.onmicrosoft.com	94	Inactive	Nev
Megan Bowen	kbcorp2022t.onmicrosoft.com	MeganB@kbcorp2022t.onmicrosoft.com	94	Inactive	Nev

Demo ...

EAC -> ID Governance -> Dashboard -> View inactive Guests

Alte Gruppen ausmisten

Merkmale / Risiken:

- Gruppen ohne Mitglieder
- Gruppen ohne Owner
- Owner inaktiv



Maßnahmen:

- ✓ Groups Insights (Preview)
- ✓ Powershell / Graph
- ✓ Source of truth?
- ✓ Managed by vs. Owner

Microsoft Entra admin center Search resources, services, and docs (G+)

Home > Groups | All groups > PIM-All-Helpdesk | Owners > Users > Authentication methods | User registration details > Main Identity LAB > Insights and reporting | Inactive guest accounts

Groups | Insights (Preview)

Main Identity LAB

- Overview
- All groups
- Insights (Preview)**
- Deleted groups
- Diagnose and solve problems

Settings

- General
- Expiration
- Naming policy

Activity

- Privileged Identity Management
- Access reviews
- Audit logs
- Bulk operation results

Troubleshooting + Support

- New support request

OWNER

Groups with No Owners	Groups with Service Principals as Owners	Groups with Guest Users as Owners
52 View data	0 View data	0 View data

Groups with Service Principals as Owners or Members

No groups with service principals found
Groups with service principal owners or members will appear here

Member

Groups with Complicated Rules	Groups with Low Efficient Operators
0 View data	2 View data

Lifecycle

Newly created groups	Expiring groups

Demo ...

EAC -> Groups -> Groups Insight (Preview)

Group Insights Feature

- Aktuell in Preview
- Infos auf 2 Ebenen:


1 Portal UI

-> Visuelle Übersicht über Gruppenunordnung

2 API Endpoint

-> Datenquelle für eigene Reports (eigene Parameter)

Quelle: Jan Bakker – What admins can learn from the new Entra ID Groups Insights blade (Feb 18, 2026)




Enterprise Applikationen / App Registrations

Wer hat das eigentlich angelegt?

- Kein Owner
- Keine Sign-ins
- AssignmentRequired = Yes
aber 0 Assignments
- Secret Hygiene? (App Registrations)
- Powershell / EAC

Demo ...



Microsoft Entra admin center

Search resources, services, and docs (G+)

Copilot

klaus@kbrun.de
MAIN IDENTITY LAB (KBCORP20...)

Usage & insights | Microsoft Entra application activity (Preview) > Main Identity LAB > Remove unused applications > Main Identity LAB

Main Identity LAB

+ Add Manage tenants What's new Preview features Got feedback?

To improve your experience, we're experimenting with your Home page. Click "Got feedback?" to tell us what you think.

Overview Monitoring Properties **Recommendations** Setup guides

51 recommendations found

Priority	Recommendation	Required licenses	Release type	Secu
Medium	Enable password hash sync if hybrid	Microsoft Entra ID Free	Generally available	5/5
High	Do not expire passwords	Microsoft Entra ID Free	Generally available	8/8
Low	Use least privileged administrative roles	Microsoft Entra ID Free	Generally available	1/1
Low	Enable self-service password reset	Microsoft Entra ID P1	Generally available	1/1
High	Protect all users with a sign-in risk policy	Microsoft Entra ID P2	Generally available	0/7
Medium	Remove unused credentials from applications	Microsoft Entra Workload ID	Preview	N/A
Medium	Remove unused applications	Microsoft Entra Workload ID	Preview	N/A
High	Protect all users with a user risk policy	Microsoft Entra ID P2	Generally available	6.57

Demo ...

EAC -> Overview -> Recommendations -> Remove unused applications

Takeaways



- ✓ Verwaiste Identitäten konsequent eliminieren
 - Benutzer, Gruppen, Applikationen
 - Powershell und Automatisierung nutzen ([Blog Artikel](#))
 - Dokumentation
- ✓ Governance etablieren- Access Review Strategie finden / LCW Strategie
 - Access Review
 - Lifecycle Workflows
- ✓ Housekeeping ist kein Projekt – es ist ein Prozess



Microsoft Learn

[Embrace cloud-first posture: Convert Group Source of Authority to the cloud Infos](#)

[Use Microsoft Entra groups to manage role assignments](#)

[Manage guest access with access reviews](#)

[Create an access review of Azure resource and Microsoft Entra roles in PIM](#)



Best Practices & Community

[Jan Bakker – What admins can learn from the new Entra ID Groups Insights blade \(Feb 18, 2026\)](#)



NothingButCloud Blog

[Zero Trust in Entra ID: Monitoring Break-Glass Accounts and Other Sensitive Operations](#)

[KlaBier Github: CreateSecCopilotSCU PowerShell](#)

[KlaBier Github: Powershell Housekeeping Beispiele](#) ← [secIT Beispiele](#)

[The dilemma with unused objects in Azure AD](#)

[Lifecycle Workflows and Custom Extensions - step-by-step-guide](#)

[How to Build a Log Analytics Workbook for Unused CA Policies](#)



Adobe Stock | #84815623

Backup

File Edit Selection View Go Run ... Powershell_dev [Administrator]

EXPLORER

- POWERSHELL_DEV
 - Coding4Fun
 - GetAllEntraRoles.ps1
 - Maester.ps1
 - roles2.xlsx
 - SET_BGAs_in_CA_Exclude.ps1
 - CreateSecCopilotSCU
 - CreateSecCopilotSCU.ps1
 - DeleteSecCopilotSCU.ps1
 - CreateUser
 - Custom
 - README.md
 - DevopsStuff
 - DirectoryExtensions
 - EIDSCA
 - EntraHouseKeeping
 - 01 User-Beispiele.ps1
 - 02 Groups-Example.ps1
 - 03 Devices-Beispiele.ps1
 - LifeCycleWorkflow_Cmdlets
 - M365DSC Examples
 - Maester
 - maester-tests
 - orca
- OUTLINE
- TIMELINE

01 User-Beispiele.ps1 02 Groups-Example.ps1 CreateSecCopilotSCU.ps1 03 Devices-Beispiele.ps1

```
CreateSecCopilotSCU > CreateSecCopilotSCU.ps1
6 Connect-AzAccount -Tenant 'YOUR TENANT ID' -SubscriptionId 'YOUR SUBSCRIPTION ID'
7 #Connect-AzAccount -Tenant 'YOUR TENANT ID' -SubscriptionId 'YOUR SUBSCRIPTION ID'
8
9 # Resource Group for Security Copilot capacity
10 New-AzResourceGroup -Name "SecurityCopilotRG" -Location "WestEurope"
11
12 # One-time operation per subscription
13 # Depending on Tenant rollout stage, either Microsoft.Security OR Microsoft.SecurityCopilot may be required
14 #Register-AzResourceProvider -ProviderNamespace "Microsoft.Security"
15 #Register-AzResourceProvider -ProviderNamespace "Microsoft.SecurityCopilot"
16
17 # Create a Security Copilot capacity (SCU)
18
19 New-AzResource -ResourceName "SecurityCopilotSCU" `
20     -ResourceType "Microsoft.SecurityCopilot/capacities" `
21     -ResourceGroupName "SecurityCopilotRG" `
22     -Location "westeurope" `
23     -ApiVersion "2023-12-01-preview" `
24     -Properties @{numberOfUnits=4; crossGeoCompute="NotAllowed"; geo="EU"} `
25     -force
26
27 # Don't forget to delete the SCU or the resource group afterwards
28
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

https://aka.ms/vscode-powershell
Type 'help' to get help.

PS C:\Users\klaus\OneDrive\GitContent\Powershell_dev>

pnwsh
PowerShell ...

Ln 24, Col 34 Spaces: 4 UTF-8 CRLF {} PowerShell